

Interactions with NRTIs

Charts revised January 2012. Full information available at www.hiv-druginteractions.org

	ABC	ddl	FTC	3TC	d4T	TDF	ZDV
Analgesics							
Alfentanil	◇	◇	◇	◇	◇	◇	◇
Aspirin	◇	◇	◇	◇	◇	◇	◇
Buprenorphine	■	◆	◇	◆	◆	◆	◆
Celecoxib	◇	◇	◇	◇	◇	◇	◇
Codeine	■	◇	◇	◇	◇	◇	■
Dextropropoxyphene	◇	◇	◇	◇	◇	◇	◇
Diamorphine (diacetylmorphine)	◇	◇	◇	◇	◇	◇	◇
Diclofenac	◇	◇	◇	◇	◇	◇	◇
Dihydrocodeine	■	◇	◇	◇	◇	◇	■
Fentanyl	◇	◇	◇	◇	◇	◇	◇
Ibuprofen	◇	◇	◇	◇	◇	◇	■
Mefenamic acid	◇	◇	◇	◇	◇	◇	◇
Methadone	■	■	◆	■	◆	■	■
Morphine	◇	◇	◇	◇	◇	◇	◇
Naproxen	◇	◇	■	■	◇	■	◆
Nimesulide	◇	◇	◇	◇	◇	◇	◇
Paracetamol	◇	◆	◇	◇	◇	◇	◆
Pethidine (Meperidine)	◇	◇	◇	◇	◇	◇	◇
Piroxicam	◇	◇	◇	◇	◇	◇	◇
Tramadol	◇	◇	◇	◇	◇	◇	◇
Antiarrhythmics							
Amiodarone	◇	◇	◇	◇	◇	◇	◇
Bepiridil	◇	◇	◇	◇	◇	◇	◇
Disopyramide	◇	◇	■	■	◇	■	◇
Flecainide	◇	◇	◇	◇	◇	◇	◇
Lidocaine (Lignocaine)	◇	◇	◇	◇	◇	◇	◇
Mexiletine	◇	◇	◇	◇	◇	◇	◇
Propafenone	◇	◇	◇	◇	◇	◇	◇
Quinidine	◇	◇	◇	◇	◇	◇	◇
Antibacterials							
Amikacin	◇	◇	◇	◇	◇	■	◇
Amoxicillin	◇	◇	◇	◇	◇	◇	◇
Azithromycin	◇	◆	◇	◇	◇	◇	◆
Ciprofloxacin	◇	◆	◇	◇	◇	◇	◇
Clarithromycin	◇	◇	◇	◇	◆	◇	■
Clavulanic acid	◇	◇	◇	◇	◇	◇	◇
Clindamycin	◇	◇	◇	◇	◇	◇	◇
Dapsone	◇	◆	◇	◇	◇	◇	■
Ertapenem	◇	◇	◇	◇	◇	◇	◇
Erythromycin	◇	◇	◇	◇	◇	◇	◇
Ethambutol	◇	◇	◇	◇	◇	◇	◇
Isoniazid	◇	◆	◇	◇	■	◇	◇
Meropenem	◇	◇	■	■	◇	■	◇
Metronidazole	■	◇	◇	◇	◇	◇	◇
Moxifloxacin	◇	◇	◇	◇	◇	◇	◇
Ofloxacin	◇	◇	■	■	◇	■	◇
Penicillins	◇	◇	◇	◇	◇	◇	◇
Pyrazinamide	◇	◇	■	◇	◇	◇	◇
Rifabutin	◇	◆	◇	◇	◆	◇	◆
Rifampicin	■	◇	◇	◇	◇	◆	■
Rifapentine	◇	◇	◇	◇	◇	◇	◇
Streptomycin	◇	◇	◇	◇	◇	■	◇
Tetracyclines	◇	■	◇	◇	◇	◇	◇
Trimethoprim/Sulfamethoxazole	◇	◆	■	■	■	■	■
Anticonvulsants							
Carbamazepine	■	◇	◇	◇	◇	◇	■
Clonazepam	◇	◇	◇	◇	◇	◇	◇
Ethosuximide	◇	◇	◇	◇	◇	◇	◇
Gabapentin	◇	■	■	■	◇	■	◇
Lacosamide	◇	◇	◇	◇	◇	◇	◇
Lamotrigine	◇	◇	◇	◇	◇	◇	◇
Levetiracetam	◇	◇	◇	◇	◇	◇	◇
Oxcarbazepine	◇	◇	◇	◇	◇	◇	◇
Phenobarbital (Phenobarbitone)	■	◇	◇	◇	◇	◇	■
Phenytoin	■	◇	◇	◇	◇	◇	■
Pregabalin	◇	◇	■	■	◇	■	◇
Topiramate	◇	◇	◇	◇	◇	◇	◇
Valproate (Divalproex)	■	◇	◇	◇	◇	◇	■
Vigabatrin	◇	◇	■	■	◇	■	◇

	ABC	ddl	FTC	3TC	d4T	TDF	ZDV
Antidepressants							
Amitriptyline	◇	◇	◇	◇	◇	◇	◇
Bupropion	◇	◇	◇	◇	◇	◇	◇
Citalopram	◇	◇	◇	◇	◇	◇	◇
Clomipramine	◇	◇	◇	◇	◇	◇	◇
Desipramine	◇	◇	◇	◇	◇	◇	◇
Doxepin	◇	◇	◇	◇	◇	◇	◇
Fluoxetine	◇	◇	◇	◇	◇	◇	◇
Lithium	◇	◇	◇	◇	◇	◇	◇
Mirtazapine	◇	◇	◇	◇	◇	◇	◇
Nefazodone	◇	◇	◇	◇	◇	◇	◇
Nortriptyline	◇	◇	◇	◇	◇	◇	◇
Paroxetine	◇	◇	◇	◇	◇	◇	◇
Sertraline	◇	◇	◇	◇	◇	◇	◇
Trazodone	◇	◇	◇	◇	◇	◇	◇
Venlafaxine	◇	◇	◇	◇	◇	◇	◇
Anti-diabetics							
Glibenclamide (Glyburide)	◇	◇	◇	◇	◇	◇	◇
Gliclazide	◇	◇	◇	◇	◇	◇	◇
Glipizide	◇	◇	◇	◇	◇	◇	◇
Insulin	◇	◇	◇	◇	◇	◇	◇
Metformin	◇	◇	■	■	◇	■	◇
Pioglitazone	◇	◇	◇	◇	◇	◇	◇
Repaglinide	◇	◇	◇	◇	◇	◇	◇
Rosiglitazone	◇	◇	◇	◇	◇	◇	■
Tolbutamide	◇	◇	◇	◇	◇	◇	◇
Antifungals							
Amphotericin B	◇	■	■	■	■	■	■
Caspofungin	◇	◇	◇	◇	◇	◇	◇
Fluconazole	◇	◆	◇	◆	◇	■	■
Flucytosine	◇	■	■	■	■	■	■
Itraconazole	◇	◆	◇	◇	◇	◇	◇
Ketoconazole	◇	◆	◇	◇	◇	◇	◇
Miconazole	◇	◆	◇	◇	◇	◇	◇
Posaconazole	■	◇	◇	◇	◇	◇	■
Terbinafine	◇	◇	◇	◇	◇	◇	◇
Voriconazole	◇	◇	◇	◇	◇	◇	◇
Antihistamines							
Astemizole	◇	◇	◇	◇	◇	◇	◇
Cetirizine	◇	◇	◇	◇	◇	◇	◇
Fexofenadine	◇	◇	◇	◇	◇	◇	◇
Loratadine	◇	◇	◇	◇	◇	◇	◇
Promethazine	◇	◇	◇	◇	◇	◇	◇
Terfenadine	◇	◇	◇	◇	◇	◇	◇
Antimigraine Agents							
Dihydroergotamine	◇	◇	◇	◇	◇	◇	◇
Ergotamine	◇	◇	◇	◇	◇	◇	◇
Sumatriptan	◇	◇	◇	◇	◇	◇	◇
Anti-platelet and Anti-coagulant							
Acenocoumarol	◇	◇	◇	◇	◇	◇	◇
Clopidogrel	◇	◇	◇	◇	◇	◇	◇
Dabigatran	◇	◇	◇	◇	◇	◇	◇
Phenprocoumon	◇	◇	◇	◇	◇	◇	◇
Rivaroxaban	◇	◇	■	■	◇	■	◇
Warfarin	◇	◇	◇	◇	◇	◇	◇
Antiprotozoals							
Amodiaquine	◇	◇	◇	◇	◇	◇	◇
Artemisinin	◇	◇	◇	◇	◇	◇	◇
Atovaquone	◇	◇	◇	◇	◇	◇	◆
Chloroquine	◇	◇	◇	◇	◇	◇	◇
Halofantrine	◇	◇	◇	◇	◇	◇	◇
Lumefantrine	◇	◇	◇	◇	◇	◇	◇
Mefloquine	◇	◇	◇	◇	◇	◇	◇
Pentamidine	◇	■	■	■	■	■	■
Primaquine	◇	◇	◇	◇	◇	◇	◇
Proguanil	◇	◇	◇	◇	◇	◇	◇
Pyrimethamine	◇	■	■	■	■	■	■
Quinine	◇	◇	◇	◇	◇	◇	◇
Sulfadoxine/pyrimethamine	◇	◇	■	■	◇	■	◇

Key to abbreviations

ABC	Abacavir (Ziagen®)
ddl	Didanosine (Videx®, Videx-EC®)
FTC	Emtricitabine (Emtriva®)
3TC	Lamivudine (EpiVir®)
d4T	Stavudine (Zerit®)
TDF	Tenofovir (Viread®)
ZDV	Zidovudine (Retrovir®)

Key to symbols

Filled symbols indicate further information on the interaction is available at www.hiv-druginteractions.org. Empty symbols indicate the combination has not been studied; an interaction has been predicted based on the metabolic profiles of the drugs.

●/○	These drugs should not be coadministered
■/□	Potential interaction – may require close monitoring, alteration of drug dosage or timing of administration
◆/◇	No clinically significant interaction expected
◆/◇	There are no clear data, actual or theoretical, to indicate whether an interaction will occur

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool HIV Pharmacology Group, University of Liverpool
Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF
We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with NRTIs

Charts revised January 2012. Full information available at www.hiv-druginteractions.org

Page 2 of 3

	ABC	ddl	FTC	3TC	d4T	TDF	ZDV
Antipsychotics/Neuroleptics							
Chlorpromazine	◇	■	◇	◇	◇	◇	◇
Clozapine	◇	◇	◇	◇	◇	◇	◇
Haloperidol	◇	◇	◇	◇	◇	◇	◇
Olanzapine	◇	◇	◇	◇	◇	◇	◇
Perphenazine	◇	■	◇	◇	◇	◇	◇
Pimozide	◇	◇	◇	◇	◇	◇	◇
Quetiapine	◇	◇	◇	◇	◇	◇	◇
Risperidone	◇	◇	◇	◇	◇	◇	◇
Sulpiride	◇	■	◇	◇	◇	◇	◇
Thioridazine	◇	◇	◇	◇	◇	◇	◇
Antivirals							
Aciclovir	◇	◇	◇	◇	◇	■	◇
Adefovir	◇	◆	◇	◆	◇	●	◇
Amantadine	◇	◇	■	■	◇	■	◇
Boceprevir	◇	◇	◇	◇	◇	◆	■
Cidofovir	◇	■	■	■	■	■	■
Entecavir	◇	◇	◇	◆	◇	◆	◇
Famciclovir	◇	◇	◆	◇	◇	■	◆
Foscarnet	◇	◆	■	■	◆	■	◆
Ganciclovir	■	■	■	■	◆	■	■
Oseltamivir	◇	◇	◇	◇	◇	◇	◇
Ribavirin	■	●	◇	■	■	◆	●
Rimantadine	◇	◇	◇	◇	◇	◇	◇
Telaprevir	◇	◇	◇	◇	◇	■	■
Valaciclovir	◇	◇	◇	◇	◇	■	◇
Zanamivir	◇	◇	◇	◇	◇	◇	◇
Anxiolytics/Hypnotics/ Sedatives							
Alprazolam	◇	◇	◇	◇	◇	◇	◇
Chlordiazepoxide	◇	◇	◇	◇	◇	◇	◇
Clorazepate	◇	◇	◇	◇	◇	◇	◇
Diazepam	◇	◇	◇	◇	◇	◇	◇
Estazolam	◇	◇	◇	◇	◇	◇	◇
Flunitrazepam	◇	◇	◇	◇	◇	◇	◇
Flurazepam	◇	◇	◇	◇	◇	◇	◇
Lorazepam	◇	◇	◇	◇	◇	◇	◇
Lormetazepam	◇	◇	◇	◇	◇	◇	◇
Midazolam (oral)	◇	◇	◇	◇	◇	◇	◇
Midazolam (parenteral)	◇	◇	◇	◇	◇	◇	◇
Oxazepam	◇	◇	◇	◇	◇	◇	◆
Temazepam	◇	◇	◇	◇	◇	◇	◇
Triazolam	◇	◇	◇	◇	◇	◇	◇
Zolpidem	◇	◇	◇	◇	◇	◇	◇
Zopiclone	◇	◇	◇	◇	◇	◇	◇
Beta Blockers							
Atenolol	◇	◇	◇	◇	◇	◇	◇
Bisoprolol	◇	◇	◇	◇	◇	◇	◇
Carvedilol	◇	◇	◇	◇	◇	◇	◇
Metoprolol	◇	◇	◇	◇	◇	◇	◇
Propranolol	◇	◇	◇	◇	◇	◇	◇
Bronchodilator							
Montelukast	◇	◇	◇	◇	◇	◇	◇
Salbutamol	◇	◇	◇	◇	◇	◇	◇
Salmeterol	◇	◇	◇	◇	◇	◇	◇
Theophylline	◇	◇	◇	◇	◇	◇	◇
Calcium Channel Blockers							
Amlodipine	◇	◇	◇	◇	◇	◇	◇
Diltiazem	◇	◇	◇	◇	◇	◇	◇
Felodipine	◇	◇	◇	◇	◇	◇	◇
Nicardipine	◇	◇	◇	◇	◇	◇	◇
Nifedipine	◇	◇	◇	◇	◇	◇	◇
Nisoldipine	◇	◇	◇	◇	◇	◇	◇
Verapamil	◇	◇	◇	◇	◇	◇	◇

	ABC	ddl	FTC	3TC	d4T	TDF	ZDV
Contraceptives/HRT							
Drospirenone	◇	◇	◇	◇	◇	◇	◇
Dydrogesterone	◇	◇	◇	◇	◇	◇	◇
Estradiol	◇	◇	◇	◇	◇	◇	◇
Ethinylestradiol	◇	◇	◇	◇	◇	◆	◆
Etonogestrel	◇	◇	◇	◇	◇	◇	◇
Levonorgestrel	◇	◇	◇	◇	◇	◇	◇
Medroxyprogesterone (IM)	◇	◇	◇	◆	◇	◇	◆
Medroxyprogesterone (oral)	◇	◇	◇	◇	◇	◇	◇
Norethisterone (Norethindrone)	◇	◇	◇	◇	◇	◇	◇
Norgestimate	◇	◇	◇	◇	◇	◆	◇
Ulipristal	◇	◇	◇	◇	◇	◇	◇
Cytotoxics							
Bleomycin	◇	◇	◇	◇	◇	◇	◇
Cyclophosphamide	◇	◇	◇	◇	◇	◇	◇
Cytarabine	◇	◇	◇	◇	◇	◇	◇
Dacarbazine	◇	◇	◇	◇	◇	◇	◇
Docetaxel	◇	◇	◇	◇	◇	◇	◇
Doxorubicin	◇	■	■	■	■	■	■
Etoposide	◇	◇	◇	◇	◇	◇	◇
Irinotecan	■	◇	◇	◇	◇	◇	■
Paclitaxel	◇	◇	◇	◇	◇	◇	◇
Tamoxifen	◇	◇	◇	◇	◇	◇	◇
Vinblastine	◇	■	■	■	■	■	■
Vincristine	◇	■	■	■	■	■	■
Erectile Dysfunctional Agents							
Sildenafil (Erectile Dysfunction)	◇	◇	◇	◇	◇	◇	◇
Tadalafil	◇	◇	◇	◇	◇	◇	◇
Vardenafil	◇	◇	◇	◇	◇	◇	◇
Gastrointestinal Agents							
Antacids	◇	◇	◇	◇	◇	◇	◇
Cimetidine	◇	◇	◇	◆	◇	■	◆
Cisapride	◇	◇	◇	◇	◇	◇	◇
Esomeprazole	◇	◇	◇	◇	◇	◇	◇
Famotidine	◇	◇	◇	◇	◇	◇	◇
Lansoprazole	◇	◇	◇	◇	◇	◇	◇
Loperamide	◇	◆	◇	◇	◇	◇	◇
Mesalazine	◇	◇	■	■	◇	■	◇
Omeprazole	◇	◇	◇	◇	◇	◇	◇
Pantoprazole	◇	◇	◇	◇	◇	◇	◇
Rabeprazole	◇	◇	◇	◇	◇	◇	◇
Ranitidine	◇	◆	◇	◆	◇	◇	◆
Gastrointestinal Agents (anti-emetics)							
Domperidone	◇	◇	◇	◇	◇	◇	◇
Dronabinol	◇	◇	◇	◇	◇	◇	◇
Metoclopramide	◇	◆	◇	◇	◇	◇	◇
Ondansetron	◇	◇	◇	◇	◇	◇	◇
Prochlorperazine	◇	◇	◇	◇	◇	◇	◇
General Anaesthetics & Muscle Relaxants							
Cisatracurium	◇	◇	◇	◇	◇	◇	◇
Desflurane	◇	◇	◇	◇	◇	◇	◇
Dexmedetomidine	◇	◇	◇	◇	◇	◇	◇
Enflurane	◇	◇	◇	◇	◇	◇	◇
Halothane	◇	◇	◇	◇	◇	◇	◇
Isoflurane	◇	◇	◇	◇	◇	◇	◇
Ketamine	◇	◇	◇	◇	◇	◇	◇
Propofol	◇	◇	◇	◇	◇	◇	◇
Rocuronium	◇	◇	◇	◇	◇	◇	◇
Sevoflurane	◇	◇	◇	◇	◇	◇	◇
Sufentanil	◇	◇	◇	◇	◇	◇	◇
Suxamethonium (succinylcholine)	◇	◇	◇	◇	◇	◇	◇

Key to abbreviations

ABC	Abacavir (Ziagen®)
ddl	Didanosine (Videx®, Videx-EC®)
FTC	Emtricitabine (Emtriva®)
3TC	Lamivudine (EpiVir®)
d4T	Stavudine (Zerit®)
TDF	Tenofovir (Viread®)
ZDV	Zidovudine (Retrovir®)

Key to symbols

Filled symbols indicate further information on the interaction is available at www.hiv-druginteractions.org. Empty symbols indicate the combination has not been studied; an interaction has been predicted based on the metabolic profiles of the drugs.

●/○	These drugs should not be coadministered
■/□	Potential interaction – may require close monitoring, alteration of drug dosage or timing of administration
◆/◇	No clinically significant interaction expected
◆/◇	There are no clear data, actual or theoretical, to indicate whether an interaction will occur

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool HIV Pharmacology Group, University of Liverpool
Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF
We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with NRTIs

Charts revised January 2012. Full information available at www.hiv-druginteractions.org

Page 3 of 3

	ABC	ddl	FTC	3TC	d4T	TDF	ZDV
Herbals/Supplements/Vitamins							
Cyanocobalamin	◇	◇	◇	◇	◇	◇	◇
Echinacea	◇	◇	◇	◇	◇	◇	◇
Folic acid	◇	◇	◇	◇	◇	◇	◇
Garlic	◇	◇	◇	◇	◇	◇	◇
Ginkgo biloba	◇	◇	◇	◇	◇	◇	◇
Grapefruit juice	◇	◇	◇	◇	◇	◇	◇
Hops (Humulus lupulus)	◇	◇	◇	◇	◇	◇	◇
Milk thistle	◇	◇	◇	◇	◇	◇	◇
Quercetin	◇	◇	◇	◇	◇	◇	◇
Seville orange juice	◇	◇	◇	◇	◇	◇	◇
St John's Wort	◇	◇	◇	◇	◇	◇	◇
Valerian	◇	◇	◇	◇	◇	◇	◇
Vitamin E	◇	◇	◇	◇	◇	◇	◇
Hypertension / Heart Failure Agents							
Amiloride	◇	◇	◇	◇	◇	◇	◇
Bendroflumethiazide	◇	◇	◇	◇	◇	◇	◇
Bosentan	◇	◇	◇	◇	◇	◇	◇
Candesartan	◇	◇	◇	◇	◇	◇	◇
Chlortalidone	◇	◇	◇	◇	◇	◇	◇
Cilazapril	◇	◇	◇	◇	◇	◇	◇
Doxazosin	◇	◇	◇	◇	◇	◇	◇
Enalapril	◇	◇	◇	◇	◇	◇	◇
Furosemide	◇	◇	■	■	◇	■	◇
Indapamide	◇	◇	■	■	◇	■	◇
Irbesartan	■	◇	◇	◇	◇	◇	■
Lacidipine	◇	◇	◇	◇	◇	◇	◇
Lercanidipine	◇	◇	◇	◇	◇	◇	◇
Lisinopril	◇	◇	◇	◇	◇	◇	◇
Losartan	■	◇	◇	◇	◇	◇	■
Olmesartan	◇	◇	◇	◇	◇	◇	◇
Perindopril	◇	◇	◇	◇	◇	◇	◇
Quinapril	◇	◇	◇	◇	◇	◇	◇
Ramipril	◇	◇	◇	◇	◇	◇	◇
Sildenafil (PAH)	◇	◇	◇	◇	◇	◇	◇
Telmisartan	◇	◇	◇	◇	◇	◇	◇
Trandolapril	◇	◇	◇	◇	◇	◇	◇
Valsartan	◇	◇	◇	◇	◇	◇	◇
Illicit/Recreational							
Alcohol	◆	◇	◇	◇	◇	◇	◇
Cocaine	◇	◇	◇	◇	◇	◇	◇
Gamma-hydroxybutyrate	◇	◇	◇	◇	◇	◇	◇
Marijuana	◇	◇	◇	◇	◇	◇	◇
MDMA (Ecstasy)	◇	◇	◇	◇	◇	◇	◇
Methamphetamine	◇	◇	◇	◇	◇	◇	◇
Immune Modulators							
Hydroxyurea	◇	●	◇	◇	●	◇	◇
Interferon alpha	■	■	■	■	■	■	■
Interleukin 2	◇	■	■	■	■	■	■
Peginterferon alfa-2a	■	■	■	■	■	■	●

	ABC	ddl	FTC	3TC	d4T	TDF	ZDV
Immunosuppressants							
Azathioprine	◇	■	◇	◇	◇	◇	◇
Ciclosporin	◇	◇	◇	◇	◇	■	◇
Mycophenolate	■	◇	◇	◇	◇	■	■
Sirolimus	◇	◇	◇	◇	◇	◇	◇
Tacrolimus	◇	◇	■	■	◇	■	◇
Lipid Lowering Agents							
Atorvastatin	◇	◇	◇	◇	◇	◇	◇
Bezafibrate	◇	◇	■	■	◇	■	◇
Clofibrate	◇	◇	■	■	◇	■	◇
Ezetimibe	◇	◇	◇	◇	◇	◇	◇
Fenofibrate	◇	◇	■	■	◇	■	◇
Fish oils	◇	◇	◇	◇	◇	◇	◇
Fluvastatin	◇	◇	◇	◇	◇	◇	◇
Gemfibrozil	■	◇	◇	◇	◇	◇	◇
Lovastatin	◇	◇	◇	◇	◇	◇	◇
Pravastatin	◇	◇	◇	◇	◇	◇	◇
Rosuvastatin	◇	◇	◇	◇	◇	◇	◇
Simvastatin	◇	◇	◇	◇	◇	◇	◇
Other							
Alendronic Acid	■	■	■	■	■	■	■
Alfuzosin	◇	●	◇	◇	◇	◇	◇
Allopurinol	◇	●	◇	◇	◇	◇	◇
Apomorphine	◇	◇	◇	◇	◇	◇	◇
Biperiden	◇	◇	◇	◇	◇	◇	◇
Caffeine	◇	◇	◇	◇	◇	◇	◇
Calcium	◇	◇	◇	◇	◇	◇	◇
Digoxin	◇	◇	■	■	◇	■	◇
Disulfiram	■	◇	◇	◇	◇	◇	■
Dutasteride	◇	◇	◇	◇	◇	◇	◇
Ergometrine (Ergonovine)	◇	◇	◇	◇	◇	◇	◇
Ibandronic acid	■	■	■	■	■	■	■
Isotretinoin	◇	◇	◇	◇	◇	◇	◇
Levodopa	◇	◇	◇	◇	◇	◇	◇
Nicorandil	◇	◇	◇	◇	◇	◇	◇
Orlistat	◇	◇	◇	◇	◇	◇	◇
Potassium	◇	◇	◇	◇	◇	◇	◇
Pramipexole	◇	◇	■	■	◇	■	◇
Spironolactone	◇	◇	◇	◇	◇	◇	◇
Tamsulosin	◇	◇	◇	◇	◇	◇	◇
Torsemide	◇	◇	◇	◇	◇	◇	◇
Tranexamic acid	◇	◇	■	■	◇	■	◇
Varenicline	◆	◆	◆	◆	◆	◆	◆
Steroids							
Budesonide	◇	◇	◇	◇	◇	◇	◇
Dexamethasone	◇	■	◇	◇	◇	◇	◇
Fludrocortisone	◇	◇	◇	◇	◇	◇	◇
Fluticasone	◇	◇	◇	◇	◇	◇	◇
Hydrocortisone (oral)	◇	◇	◇	◇	◇	◇	◇
Hydrocortisone (topical)	◇	◇	◇	◇	◇	◇	◇
Megestrol acetate	◇	◇	◇	◇	◇	◇	◆
Mometasone	◇	◇	◇	◇	◇	◇	◇
Nandrolone	◇	◇	◇	◇	◇	◇	◇
Oxandrolone	◇	◇	◇	◇	◇	◇	◇
Prednisolone	◇	◇	◇	◇	◇	◇	◇
Stanozolol	◇	◇	◇	◇	◇	◇	◇
Testosterone	◇	◇	◇	◇	◇	◇	◇

Key to abbreviations

ABC	Abacavir (Ziagen®)
ddl	Didanosine (Videx®, Videx-EC®)
FTC	Emtricitabine (Emtriva®)
3TC	Lamivudine (EpiVir®)
d4T	Stavudine (Zerit®)
TDF	Tenofovir (Viread®)
ZDV	Zidovudine (Retrovir®)

Key to symbols

Filled symbols indicate further information on the interaction is available at www.hiv-druginteractions.org. Empty symbols indicate the combination has not been studied; an interaction has been predicted based on the metabolic profiles of the drugs.

●/○	These drugs should not be coadministered
■/□	Potential interaction – may require close monitoring, alteration of drug dosage or timing of administration
◆/◇	No clinically significant interaction expected
◆/◇	There are no clear data, actual or theoretical, to indicate whether an interaction will occur

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool HIV Pharmacology Group, University of Liverpool
Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF
We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.